




-Dailymag®



REPEL, ATTRACT, LIFE

DAILYMAG MAGNETICS is a world-leading supplier of OEM and ODM magnetic tools, magnetic assemblies and permanent magnets.

With no MOQ, an experienced R&D team, complete product lines, and unequaled responsiveness, DAILYMAG is now the top-volume Chinese source of mangetic tools, with magnets on their way to that status as well, Led by dynamic entrepreneur, engineer & President Charles Yao and his strong team, total magnet-related sales are prosperous and growing, Along with output from several suppliers in close cooperation, production comes from three DAILYMAG subsidiary factories, each with strict processes front to back-beginning with material sourcing, through to QC and shipping.

In dealing with sub-suppliers, within subsidiaries, and within the firm itself, DAILYMAG MAGNETICS utilizes a methodology we call "SQDP". This means: provide the client with the best SOLUTION; with the highest QUALITY design, production, and service; DELIVERED as promised and fast; and at a PRICE that maximizes value for both the client and end-user. Achieving great results consistently doesn't happen by accident of course, but only through the liberal application of continuous improvement principles and strong, lively company culture. Many companies say "our people are our greatest resource". At DAILYMAG, however, this is certainly true as we take an active stake in ensuring that our staff are growing and improving not only in the jobs and careers, but personally.

We warmly welcome your inquiry but be prepared, though, for more than a quotation. Prepare to discover what many well-known corporations around the world - from Wal-Mart, Total, Philips, Bosch, and many more - have found. Prepare to start a long-term, mutually prosperous business relationship with the number one choice for industrial magnets and magnet products.

High-Level Machining Ability

More than 1 thousand types of magnetic tools and assemblies.

Stable Quality with Reasonable Price

Let you be very satisfied with the products.

Strong Sense of Responsibility


Response within 24 hours for all questions.

Samples Available

Minimum delivery time is 1 day.

Service Guarantee

We are glad to supply our technical support for you at your any convenient time.












































Magnetic Handle Sweeper

	V-7
Item No.	Product name
112018	18" Magnetic Handle Sweeper
112024	24" Magnetic Handle Sweeper
112030	30" Magnetic Handle Sweeper
112036	36" Magnetic Handle Sweeper





- * Easily pick up metal shavings, nails, staples, bolts, screws and more.


 * Rubber gripped handle with adjustable height range.

 * Magnetic deck adjusts for optimal use indoors and out.

 * Powerful magnetic pick up capacity.

 * Ideal for mechanics, machinists, carpenters, roofers, and DIY use.

Use in factory





Could be Colorized

Item No.	Product name
112118	18" Magnetic Handle Sweeper(Colorized)
112124	24" Magnetic Handle Sweeper(Colorized)
112130	30" Magnetic Handle Sweeper(Colorized)
112136	36" Magnetic Handle Sweeper(Colorized)



Use on road





Use on outside





Push-Type Magnetic Sweeper

Item No.	Product name
114024	36" Push-Type Magnetic Sweeper
114036	36" Push-Type Magnetic Sweeper

- * Quickly snap up metal shavings, nails, staples, bolts, screws and more.
- * Rubber gripped handle.
- * Super powerful magnetic pick up capacity.

 * Ideal for cleaning walkways, factory aisles, loading docks and more.



Use in factory







Quickly removes collected items by pull back release handle.

Use on road





Use on outside





Hang-Type Magnetic Sweeper

Item No.	Product name
113036	36" Hang-Type Magnetic Sweeper
113048	48" Hang-Type Magnetic Sweeper
113060	60" Hang-Type Magnetic Sweeper
113072	72" Hang-Type Magnetic Sweeper

Hang-Type Magnetic Sweeper with Forklift Hanger

Item No.	Product name
113136	36" Hang-Type Magnetic Sweeper with Forklift Hanger
113148	48" Hang-Type Magnetic Sweeper with Forklift Hanger
113160	60" Hang-Type Magnetic Sweeper with Forklift Hanger
113172	72" Hang-Type Magnetic Sweeper with Forklift Hanger
113184	84" Hang-Type Magnetic Sweeper with Forklift Hanger



- * Easy to hang on vehicle bumper or forklift. * Powerful magnetic pick up capacity.
- * Ideal for sweeping whole road, parking place, air port and more places







* Easy to hang on forklift, the eye bolts secure sweeper on the forklift.







Heavy-Duty Hang-Type Magnetic Sweeper

Item No.	Product name
115036	36" Heavy-Duty Hang-Type Magnetic Sweeper
115048	48" Heavy-Duty Hang-Type Magnetic Sweeper
115060	60" Heavy-Duty Hang-Type Magnetic Sweeper
115072	72" Heavy-Duty Hang-Type Magnetic Sweeper





The eye bolts makes the sweeper mounts quickly to all vehicles. Bottom wear bar provide protection to sweeper.


Heavy-Duty Hang-Type magnetic sweeper reduces possibility of costly, dangerous flat tires and injuries caused by nails, scrap iron particles, welding remnants, wire, staples, tacks and metal shavings.

- * Easy to hang on vehicle bumper or forklift.
- * Super powerful magnetic pick up capacity.
- * Ideal for sweeping whole road, parking place, airport and more places.



Heavy-Duty Hang-Type Magnetic Sweeper with Forklift Hanger

Item No.	Product name
115236	36" Heavy-Duty Hang-Type Magnetic Sweeper with Forklift Hanger
115248	48" Heavy-Duty Hang-Type Magnetic Sweeper with Forklift Hanger
115260	60" Heavy-Duty Hang-Type Magnetic Sweeper with Forklift Hanger
115272	72" Heavy-Duty Hang-Type Magnetic Sweeper with Forklift Hanger



* Easy to hang on forklift, the eye bolts secure sweeper on the forklift.







35LBs Magnetic Magnetic Handle Lifer

Item No.: 123035

Transfer and pick up nails, screws, nuts or any small metal objects, then pull the handle to release the objects in the desired location. Smooth, uninterrupted sides allow for fast burrowing. Prevents injuries from sharp metal objects.

Its heavy duty canister is lightweight and features an easy-to-grip handle.

Jumbo size measures 5" dia. x 9-1/2" high.

Durable ABS plastic case.







30LBs Long **Magnetic Bulk Lifer** Item No.: 124030

features an easy-to-grip handle.

Jumbo size measures 3.5" dia. x 27" high.

Luxury aluminium body and durable ABS plastic case.



Magnetic release handle

16LBs Magnetic Bulk Lifer

Item No.: 121016

Measures 3-1/2." dia. x 7" high. (Handle width: 5") With magnetic release handle







Magnetic Push/Pull Attractor



The Magnetic Push/Pull Attractor is A must have for mill, drill, lathe and grinder in workshop. It picks up and release steel pieces, small stuff just like you wanted

Component Part: Stainless steel body non-responsive to magnets plus high quality and high

Features: Pull-and push Magnetic Attractor has strong permanent magnet power and can hoist metal pieces or metal substances onto or around its lower end. Pull-and-push magnetic attractor can attract metal pieces or iron substances in liquids, in powder or among grains and/or granules, such as iron substances from electroplating bath, separating iron dusts, iron chips, and iron filings from lathes, attracting small metal needles and pieces fallen on the ground or separating metal from other materials

Application: Put this attractor into the area or container where there are metal pieces or substances and they will gather to the lower end or round itself. Then put the attractor into the recovery tray. and pull the handle up, most of the metal substances will fall into the tray. Position of the blocking piece may be adjusted as need be, reset the attractor after all iron/steel pieces have fallen into the recovery tray. Reset the attractor bar and apply it again and again. The magnetic power is permanent





Stainless tube dimension: Dia25.4x370mm Up to 5kg pull capacity

Could be used under water, oil and other liquid environment.







Telescoping Magnetic Pick Up Arm

Item No.: 155065

Very easily & convenient to Collect scattered screws, nuts and nails. Retrieve metal tools from underneath vehicles and tables. Its compact size allows easy storage.

- * Durable luxury Aluminium body ensures a light weight
- * Measures 28"(71cm) when collapsed, twist and extend to 45" (114cm)
- * Up to 65lbs magnetic capacity
- * 180 degree rotatable magnet base







Welding Magnet

Item No.	
	25LBs Welding Magnet
211050	50LBs Welding Magnet
211075	75LBs Welding Magnet




Multi-Angle Welding Magnet

Item No.	Product name
211125	25LBs Multi-Angle Welding Magnet
211150	50LBs Multi-Angle Welding Magnet
211175	75LBs Multi-Angle Welding Magnet

Magnetic Welding Holders are designed for fast and accurate holding of flat and round ferrous metal for welding and assembly jobs. Strong magnet attracts to any ferrous metal object and leaves both hands free to safely work on the project.

- * Ideal for fast setup and accurate holding for all welding jobs.
 * The arrow model covers 45°, 90° and 135° welding angles.
 * The multi-angle model covers 30°, 45°, 60°, 75°, 90° and 180° welding angles.







Welding Magnet with Switch

Item No.	
213030	30LBs Welding Magnet with Switch
213075	75LBs Welding Magnet with Switch



New Welding Magnet with Switch

Item No.	
214025	25LBs Welding Magnet with Switch
214065	65LBs Welding Magnet with Switch





- * Assembled with neodymium magnet, On/Off switch quick release magnetic force. * Ideal for fast setup and accurate holding for all welding jobs. * Covers 45°, 90° and 135° welding angles





65LBs Welding Magnet with Twisted Switch

Item No.: 215065



4pcs Mini Welding Magnet Set

Item No.: 811004





Handle Magnet

Item No.	Product name		
221025	25LBs Handle Magnet		
221050	50LBs Handle Magnet		
221100	100LBs Handle Magnet		
221150	150LBs Handle Magnet		
221225	225LBs Handle Magnet		

Handle magnets clean up scattered iron objects, including screws, nuts and bolts. Can be used to lift heavy metal objects, such as shelving, beams and doors.

Powerful magnetic force lift up to 100 times their



Holding Magnet

Item No.	Product name
231025	25LBs Holding Magnet
231050	50LBs Holding Magnet
231100	100LBs Holding Magnet
231150	150LBs Holding Magnet
231225	225LBs Holding Magnet

Use to hold and position spray nozzles, hoses, temporary wiring and more. Great for retrieving hand tools and other metal items from waterways. Attach a rope or rod to magnet's eye bolt for retrieving. Hundreds of sporting, household, industrial and commercial uses.















40LBs Super Holding Magnet

Item No.: 232040





100LBs Common Holding Magnet



Magnetic Base with Knob

Item No.: 252025





Hold blueprints, calendars, important memos, visual aides, work plans and more with these convenient, heavy duty magnetic bases. Ideal for warehouse, workroom and office use.



Magnetic Hook

Item No.: 251020





Powerful 20LBs magnetic capacity

Magnetic Flat Hook







Powerful 25LBs magnetic capacity

Use to hang lights, tools, keys, bags or signs and so on from metal doors, tool boxes, filing cabinets or any ferrous metal surface.









Magnetic Carabiner hook is strong enough to hold and suspend ropes, power tools, wire, cables, and grommets

Ring Neodymium Magnet

Item No.: 253035





Magnetic Ring is super powerful. It is made of Neodymium Magnet, can lift 35LBs in a vertical test. Use them to hang lights, tools, keys or signs from metal doors, tool boxes, filing cabinets or any ferrous metal surface.

Handle Ring Neodymium Magnet

Item No.: 255015





Handle Ring Magnet is made of Neodymium Magnet, with plastic cushion to protect contact area, can lift 15LBs in a vertical test.

Use them to hang lights, tools, keys or signs from vehicles, metal doors, tool boxes, filing cabinets or any ferrous metal surface.







Featuring Neodymium Magnet, Magnetic Carabiner has up to 35LBS of pull strength easy-clip carabiner hook. Without using nails or screws, unit may be used indoors or outdoors to permanently or temporarily attach to various ferrous metal surfaces such as I-beams, door frames, inventory racks, work shelves, and metal cabinets.





5LBs Magnetic Clip

Item No.: 254005



Use to clip note paper, note pads, crafts and so on from metal doors, tool boxes, filling cabinets or any ferrous metal surface.



Magnetic Spray Gun Hook

Item No.: 255100





- * Ideal for keeping your spray gun ready to use.
- * Portable, as it attaches securely to spray booth walls, mixing rooms or anywhere that has a metal surface.
- * The powerful magnetic power up to 100LBs keeps it from sliding or tilting out of position when loaded.
- * Includes a protective coating to prevent scratches on gun cups
- * Use it to avoid the awkwardness of putting your gravity feed spray gun down while painting.
- * Great as a coat hook or for holding other tools to your tool box.

Rubber Handle Magnet

Item No.: 261100



Rubber Handle Magnet supply up to 100LBs magnetic power. It is made on the basis of ergonomic design and smart appearance.

Rubber Handle Magnet is very great for retrieving and moving shelves, metal sheet, pipes and some hardware tools. Magnet is encased in durable red plastic shell with easy-grip rubber handle.

Two pieces of magnetic shields are included. They will block magnetic force when Rubber Handle Magnet doesn't use. Then, it is very easy to store it in toolbox without attracting other metal tools.







Magnetic Paint Brush Holder

Item No.: 264005



Magnetic Paint Brush Holder can keep brushes out of the paint can and away from possible spills and dribbles.

Includes a built-in paint can opener.

Useful to clamp tarp and drop cloths in to place.







Universal Latch Magnet

Item No.: 321050



Universal Latch magnet is enclosed by a durable heavy-duty plastic shell with elongated holes allows multi-orientation and adjustable mounting. A metal strike plate is included in this latch magnet. This plate is 1/8 inch thick with countersunk holes. Mount one of two ways to create a latch for gate or other closure.

Up to 50LBs magnetic power.





Magnetic Waist Holder Item No.: 332020



Can be set in your waist belt or bag belt very easily to attract nails, screws, nuts and more.

Keep screws, bolts, nuts and other small tools within easy reach.

The iron objects can be taken out very easily.





Magnetic Tool Holder Item No. Product name 311012 12" Magnetic Tool Holder 311018 18" Magnetic Tool Holder 311024 24" Magnetic Tool Holder



Heavy duty magnetic tool holder hold large or small tools and metal parts firmly and securely in place. Perfect for workshops, garages, manufacturing facilities, maintenance areas, even inside trucks and vans.

When mounted to any surface, the tool holder is held firmly in place by welded tabs, with



Magnetic Tool Holder with Plastic Assembly Part

Magnet	ic roof floider with Flastic Assembly Fait
Item No.	Product name
313012	12" Magnetic Tool Holder with Plastic Assembly Part
313018	18" Magnetic Tool Holder with Plastic Assembly Part
313024	24" Magnetic Tool Holder with Plastic Assembly Part



Stainless Steel Magnetic Tool Holder

Item No.	Product name
314012	12" Stainless Steel Magnetic Tool Holder
314018	18" Stainless Steel Magnetic Tool Holder
314024	24" Stainless Steel Magnetic Tool Holder







1M Magnetic Flexible Ruler

Item No.: 762001







A amazing measuring tool with magnetic feature. Can be used on metal surfaces for hands-free measuring. One meter long with UV-resistant colorful ink on PVC surface.

Durable and convenient for your use.

- * Quickly and accurately measure beams, doors & any metal panels.
- * Dual scale measures one full yard(36") and one full meter * Markings include fractional quick-read.
- * UV-resistant inks prevent fading





Magnetic Bowl

Item No.	Product name
611003	3" Magnetic Bowl
611004	4" Magnetic Bowl
611006	6" Magnetic Bowl
612006	3" Magnetic Bowl
	(color painted)

Store metal parts and tools during assembly and disassembly, Ideal for mechanics, craftsmen and hobbyists.

Keep loose nuts, screws and other small metal items in reach. Smooth stainless steel trays have powerful

ceramic magnets with rubber covers in the base to secure the tray to a metal toolbox or table while keeping important metal pieces at hand.

Works in any position - flat, sideways or upside down. Heavy gauge, stainless steel with rubber base to prevent scratching.

Great for job site, garage, office and home.





Magnetic Dish

Item No.	Product name
613005	5-1/2"x9" Magnetic Dish
613006	6-1/4"x14-1/4" Magnetic Dish
613010	10-1/2"-1/2"x9" Magnetic Dish
613012	12-1/2"x16-3/8" Magnetic Dish

























Magnet Tray

Item No.	Product name
621006	6" Magnetic Tray
621008	8-1/4" Magnetic Tray
621010	10-1/2" Magnetic Tray
621012	12-1/4" Magnetic Tray
813004	4pcs Magnetic Tray Set





design of Magnetic Tray will help users get rid of the annoying scattered hardware fittings, parts and tools and keep them in one place for easy handling.

The tough powder coated surface resists chips and won't rust.













The indicator is free to rotate in transverse and longitudinal way,

The magnetic pole identifier is even more useful for showing the direction of magnetic field lines.

Magnetic field lines connect the North and South poles of a magnet. If moved around near a magnet, the indicator will rotate and keep the magnet aligned with the magnetic field lines.





25" Telescoping Magnetic Pick Up Tool

Item No.: R1007



Great for retrieving small metal objects such as nails, screws, washers, key rings and more. Doubles as a presentation pointer with a handy pocket clip attached.

Durable and convenient for your use.

- * 1.5LBs magnetic capacity
- * Telescopic from 5" to 25"

 * Brass tube with chrome plated



32" Telescoping Magnetic Pick Up Tool with LED



Great for retrieving small metal objects such as nails, screws, washers, key rings and more. The comfortable cushion grip keeps handle secure even in wet or oily hands With the light can find objects even in the dark areas

Durable and convenient for your use.

* Powerful 8LBs magnetic capacity

* Telescopic from 7-1/2" to 32"

- * LED light with 3 button cells







Oil Filter Magnet Ring

Item No.: FP-6





Super Oil Filter Magnet Ring Item No.: FP-6S





Oil Filter Magnet Ring is a super magnet designed to be used on automotive oil filter to improve filtration efficiency.

A superior upgrade complementing the performance of your vehicle.

Oil Filter Magnet Ring converts a standard oil filter into a Super Dual Stage Filtration System thru the use of super rare earth magnet.

HOW IT WORKS:


- * Contaminated oil enters the oil filter
- * Power Filter Magnet separates the ferrous particles from oil and traps it on the oil filter casing
 * The ferrous free oil then passes through
- the standard filter elements
- * Power Filter Magnet keeps the ferrous particles trapped until it is thrown away together with oil filter during filter change

How Ferrous Particle Enter Lubrication System



Metal particles are produced due to friction between moving parts of the engine.


Without Power Filter Magnet



When filter elements are clogged, the pressure builds up and pushes the top plates opening the bypass valve. When the bypass valve is open the oil flowed back to engine without filration, thus the particle will cause. particle will cause premature engine wear.

Unfiltered oil goes in from the sides and comes out from center of oil filter unfiltered

With Power Filter Magnet





Magnetic Gas Saver Item No.: XT-4/XT-6



As we know, POWERMAG Magnetic Gas Saver is a perfect Gas Saving device that designed to condition the Gas prior to combustion to increase power output, save gas, & reduce emissions. The cooking gas is passed directly through powerful magnets, placed inside the device. This increases the excitation level of gas molecules, causing their de-clustering.

When the gas now comes out of POWERMAG Magnetic Gas Saver, it burns with increased thermal efficiency. This unique process results in saving gas by up to 30%.

The innovative feature of POWERMAG Magnetic Gas Saver is that the gas comes in physical contact with the power packed imported magnets.

The Gas Saver can be used in: Automobile Restaurant Gas welding

Benefit from POWERMAG Magnetic Gas Saver

- Tested & certified by a internationally reputed & qualified laboratory.
 For LPG / CNG / LNG (Piped gas).
 Increases Thermal Efficiency.

- Reduces maintenance of Burners.
 Powerful rare earth magnets.
 Easy to install, needn't maintenance.
- · Eco-friendly.















Jack Power Magnetic Water Softener


Item No.: JP-2





- Features:
 * Durable ABS plastic case.
 * 200% powerful compared with normal magnetic water conditioners.
 * EXTENDED SIZE: 120x35x44mm.
- * SUITABLE FOR normal house use. * Easy to install.

(fit 1/2~1-1/2inch pipe, suitable for 3-5 people house)





- Features:

 *A revolutionary Water conditioner & softener.

 *Can directly touch water to offer best magnetization.

 *Permanently magnetize water, soften water and save washing powder.

 *Price is cheap as a normal soap.

- *Easy to install.
 *SUITABLE FOR washing machine, water tank,

bathtub & small swimming pool.



industrial use.



Y2-M Magnetic Water Softener Item No.: Y2-M



bathhouse, agriculture watering and industrial consumption



Y3/4-M Magnetic Water Softener

Item No.: Y3/4-M



- Features:

 * All metal aluminium & stainless steel case

 * It consists of 4 pieces, each of which contains 2 arc designed shape strong Neodynium magnet.


 Designed in 4 pieces connection with 8pcs top grade N455H Neodymium magnets

 (magnet in full arc shape ensures the highest efficiency)

 * Specially designed for large water pipes.


 Suitable for large pipes from Dia75mm (3*) 102mm (4*)

 For agriculture watering and industrial water use




NdFeB Pot Magnets & Mounting Magnets






Item No.		Imp	erial			A 44 17 17 1			
	D	h	d1	d2	D	h	d1	d2	Attraction(kg
CP-A5/8	5/8"	0.250"	0.192"	0.364"	16	6.5	5	9.2	5.5
CP-A3/4	3/4"	0.250"	0.192"	0.364"	19	6.5	5	9.2	9
CP-A1	1"	0.313"	0.252"	0.479"	25	8	6.4	12.2	22
CP-A5/4	1 1/4"	0.313"	0.252"	0.479"	32	8	6.4	12.2	34
CP-A3/2	1 1/2"	0.375*	0.252"	0.479"	38	9.5	6.4	12.2	41
CP-A7/4	1 3/4"	0.375"	0.252"	0.479"	44	9.5	6.4	12.2	68
CP-A2	2"	0.500*	0.314"	0.600"	51	13	8	15.2	81
CP-A5/2	2 1/2"	0.625*	0.314"	0.600"	64	16	8	15.2	113
CP-A3	3"	0.750"	0.314"	0.600"	76	19	8	15.2	164






Item No.		Imp	erial			A 44			
	D	h	d1	d2	D	h	d1	d2	Attraction(kg
RP-A5/8	5/8"	0.250"	0.192"	0.364"	16	6.5	5	9.2	5.5
RP-A3/4	3/4"	0.250*	0.192"	0.364"	19	6.5	5	9.2	9
RP-A1	1"	0.313"	0.252"	0.479"	25	8	6.4	12.2	22
RP-A5/4	1 1/4"	0.313"	0.252*	0.479"	32	8	6.4	12.2	34
RP-A3/2	1 1/2"	0.375*	0.252"	0.479"	38	9.5	6.4	12.2	41
RP-A7/4	1 3/4"	0.375"	0.252"	0.479"	44	9.5	6.4	12.2	68
RP-A2	2"	0.500"	0.314"	0.600"	51	13	8	15.2	81
RP-A5/2	2 1/2"	0.625"	0.314"	0.600"	64	16	8	15.2	113
RP-A3	3"	0.750"	0.314"	0.600"	76	19	8	15.2	164






Item No.		Imp	erial			A4			
	D	h	н	M - threads	D	h	Н	M - threads	Attraction(kg)
SP-A3/8	3/8"	0.188"	0.500"	10/32	9.5	5	13	4.8	0.8
SP-A1/2	1/2"	0.188"	0.500°	10/32	13	5	13	4.8	2.5
SP-A5/8	5/8"	0.250"	0.563"	10/32	16	6.5	14	4.8	5.5
SP-A3/4	3/4"	0.250"	0.563*	10/32	19	6.5	14	4.8	9
SP-A1	1"	0.313"	0.688"	1/4-20	25	8	17.5	6.35	22
SP-A5/4	1 1/4"	0.313"	0.750"	1/4*-20	32	8	19	6.35	34
SP-A3/2	1 1/2"	0.375"	0.812"	1/4-20	38	9.5	20.5	6.35	41
SP-A7/4	1 3/4"	0.375"	0.875"	1/4*-20	44	9.5	22	6.35	68
SP-A2	2"	0.500"	1.125°	5/16-18	51	13	28.5	7.94	81
SP-A5/2	2 1/2"	0.625"	1.250"	5/16"-18	64	16	32	7.94	113
SP-A3	3"	0.750"	1.500"	5/16"18	76	19	38	7.94	164





Item No.		Imp	erial			Attraction(kg)			
item No.	D	h	н	M - threads	D	h	н	M - threads	Attraction(kg)
SP-A3/8	3/8"	0.188*	0.500"	10/32	9.5	5	13	4.8	0.8
SP-A1/2	1/2"	0.188*	0.500"	10/32	13	5	13	4.8	2.5
SP-A5/8	5/8"	0.250"	0.563"	10/32	16	6.5	14	4.8	5.5
SP-A3/4	3/4"	0.250"	0.563*	10/32	19	6.5	14	4.8	9
SP-A1	1"	0.313"	0.688"	1/4"-20	25	8	17.5	6.35	22
SP-A5/4	1 1/4"	0.313"	0.750"	1/4"-20	32	8	19	6.35	34
SP-A3/2	1 1/2"	0.375*	0.812"	1/4-20	38	9.5	20.5	6.35	41
SP-A7/4	1 3/4"	0.375"	0.875"	1/4-20	44	9.5	22	6.35	68
SP-A2	2"	0.500"	1.125"	5/16"-18	51	13	28.5	7.94	81
SP-A5/2	2 1/2"	0.625"	1.250"	5/16"-18	64	16	32	7.94	113
SP-A3	3"	0.750"	1.500"	5/16"-18	76	19	38	7.94	164





Item No.			Imperial								
	D	h	H - overall height with	M = threads for hook	D	h	H - overall height with hook	M = threads for hook	Attraction(kg)		
HP-A5/8	5/8"	0.250"	1.375"	10/32	16	6.5	35	4.8	5.5		
HP-A3/4	3/4"	0.250"	1.375*	10/32	19	6.5	35	4.8	9		
HP-A1	1"	0.313"	1.875"	1/4-20	25	8	48	6.35	22		
HP-A5/4	1 1/4"	0.313"	1.875*	1/4-20	32	8	48	6.35	34		
HP-A3/2	1 1/2"	0.375"	2.000*	1/4-20	38	9.5	51	6.35	41		
HP-A7/4	1 3/4"	0.375"	2.000*	1/4-20	44	9.5	51	6.35	68		
HP-A2	2"	0.500"	2.500"	5/16=18	51	13	64	7.94	81		
HP-A5/2	2 1/2"	0.625"	2.625*	5/16=18	64	16	67	7.94	113		
HP-A3	3"	0.750"	2.750"	5/16*18	76	19	70	7.94	164		

Pot Magnets (Mounting Magnets) can meet some special requirements while a single magnet can not do. In the meantime, using pot magnets can save more cost than just using magnets and gain the same purpose. They are often used as tools for various activities in workshops and in industry. They can be used for holding work pieces whilst welding, cutting, milling or drilling etc.

Because of the lack of moving parts and the robust construction of pot magnets, the life is unlimited and no maintenance is required. Just keeping the pole surface clean guarantee reliable operation and a long life.



Permanent Magnetic Lifer

- * Use to lift and transport steel and iron for factories, docks, warehouses, transportation and more.
- * Turning the manual handle activates or turns off the magnet
- * Strong attraction gives this tool a powerful lifting ability while it's small size and light weight makes it easy and safe to operate. Effective for long periods with no need for a power supply.
- * Permanent magnetic force.
- * Magnetic capacity from 100kgs-6000kgs.

Universal Permanent Magnetic Lifer

Item No.	Rated Lifting Strength(kgf)	Cylindrical Lifting Strength(kgf)	Max. Pull-off Strength(kgf)	W	L	Н	1	Operation Temperature(° C)	Dead Weight(kg)
PML-1	100	50	350	62	92	67	126	<80	3
PML-3	300	150	1050	92	162	91	155	<80	10
PML-5	500	250	1500	122	222	115	155	<80	20
PML-6	600	300	1800	122	232	117	196	<80	22
PML-10	1000	500	3500	176	258	163	285	<80	36
PML-20	2000	1000	7000	234	378	212	426	<80	81
PML-30	3000	1500	10500	286	458	261	521	<80	152
PML-60	6000	3000	21000	296	720	266	700	<80	430


Super Permanent Magnetic Lifer


Premium quality and nice appearance.

Item No.	Rated Lifting Strength(kgf)	Cylindrical Lifting Strength(kgf)	Max. Pull-off Strength(kgf)		L1	В	H1	H2	B1	F	G	Dead Weight(kg)
PML-300A	300	150	1050	203	165	87	89	68	223	45	38	10
PML-600A	600	300	2100	266	226	112	109	89	287	58	45	21
PML-1000A	1000	500	3000	330	290	148	125	95	364	60	52	40
PML-1500A	1500	750	5250	385	330	178	145	118	447	70	65	65
PML-2000A	2000	1000	7000	470	420	178	145	118	487	70	65	83









Dual-Magnetic Circuit Permanent Magnetic Lifer

Dual-magnetic circuit magnetic lifters adopt Two-Magnetic Cycle Technology that can obtain more uniform output of magnetic force. When you lift steel sheet or other ferrite material with rough surface, it is very easy to operate the handle, you can use very light force to roll the handle for opening or closing and let your work be very safe and convenient.



Item No.	Rated Lifting Strength(kgf)	Cylindrical Lifting Strength(kgf)	Max. Pull-off Strength(kgf)	L	W	Н	Magnetic Circuit	Dead Weight(kg)
PML-10A	1000	500	3500	356	180	70	2	30
PML-20A	2000	1000	7000	495	210	90	2	70
PML-30A	3000	1500	10500	550	245	110	2	170





REPEL, ATTRACT, LIFE

Magnetic Filter Bar




- * Standard bars is 25mm in diameter and any length per customer's request, the Max length up to 1500mm, square or other magnetic tubes with different shapes and dimensions are also available.
- * DAILYMAG magnetic filter bar usually made of seamless 304 stainless steel tubes or 316 stainless steel tubes, can be fine polished and full welded to meet food grade or pharmacy application.
- * Max working temperature: from 80°C-200°C to meet customers' special requirements.
- * Various ends-nail head, thread hole, double screw bolt are available.
- * Full welding standard magnetic filter bar for a better protection.
- * Max magnetic strength of Diameter 25mm tubes can achieve 12,000GAUSSS(1.2T).


Dimension	Magnetic force (Gauss)							
mm	9000	10000	11000	12000				
Ø16	*	*						
Ø19	*	*						
Ø22	*	*	*					
Ø25	*	*	*	*				
Ø32	*	*	*	*				
Ø38	Ø38 *		*	*				




Magnetic Filter Bar Grid Separator

Magnetic Filter Bar Grid in rectangular version of high Gauss value with stainless tube and full welding for powders, granulates and liquids to remove ferrous product.
















Dailymag Magnetic Technology (Ningbo) Limited

Tel: 86-574-27721335, 27721558

Fax: 86-574-27721337 Email: sales@idailymag.com http://www.dailymagtool.com